

IT COMPATABILITY CHARTS

Document Systems Products



Print and Network Compatibility (A3 Monochrome)

	BP-50M26/50M31/50M36/ 50M45/50M55/50M65	BP-51M26/51M31/51M36/ 51M45	BP-70M31/70M36/70M45/ 70M55/70M65	BP-71M31/71M36/71M45/ 71M55/71M65	BP-70M75/70M90	MX-M1056/M1206 (without Fiery option)
General MFP Features/Functions						
Speed	26/31/36/45/55/65 ppm	26/31/36/45/55/65 ppm	31/36/45/55/65 ppm	31/36/45/55/65 ppm	75/90 ppm	105/120 ppm
Function	C/P/S/F	C/P/S/F	C/P/S/F	C/P/S/F	C/P/S/F	C/P/S
Maximum Paper Size	12" x 18"	12" x 18"	12" x 18"	12" x 18"	12" x 18"	12" x 18"
On-screen Image Preview	Std.	Std.	Std.	Std.	Std.	Std.
Change Toner While Printing	-	-	-	-	Std.	Std.
Network Scanning	Std.	Std.	Std.	Std.	Std.	Std.
Hard Disk Drive / Solid State Drive	Std. SSD (128 GB)	Std. SSD (128 GB)	Std. SSD (256 GB)	Std. SSD (256 GB)	Std. SSD (256 GB)	Std. HDD (1 TB)
Remote Front Panel	Std.	Std.	Std.	Std.	Std.	Opt.
Retractable Keyboard	-	-	Std.	Std.	Std.	Std.
Sharp OSA® Platform Version	V6	V6	V6	V6	V6	V5.5
Natural Language Interface						
Sharp Copier Skill For Amazon Alexa	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Network Print & Scan Support						
Wireless LAN	Opt.	Opt.	Std.	Opt.	Std.	-
QR Code	Std.	Std.	Std.	Std.	Std.	Std.
NFC Peer-to-Peer	Std.	Std.	Std.	Std.	Std.	-
Univeral Print Support	Opt.	Opt.	Std.	Std.	Std.	Std.
Sharpdesk® Mobile Compatibility	Opt.	Opt.	Opt.	Opt.	Opt.	-
AirPrint	Opt.	Opt.	Std.	Std.	Std.	Std.
Sharp Print Service Plugin For Android™ Printing Framework	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Synappx Go	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Print Support Application	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Distributed File Systems (DFS)	Std.	Std.	Std.	Std.	Std.	Std.
IPv6	Std.	Std.	Std.	Std.	Std.	Std.
PostScript® Support	Opt.	Opt.	Std.	Std.	Std.	Std.
Microsoft Office Direct Printing	Opt.	Opt.	Std.	Opt.	Std.	Std.
Built-in OCR	Opt.	Opt.	Std.	Std.	Std.	Std.
USB Printing	Opt.	Opt.	Std.	Std.	Std.	Std.
Compact PDF (Scan)	Std.	Std.	Std.	Std.	Std.	Std.

Print and Network Compatibility (A3 Monochrome) *continued*

	BP-50M26/50M31/50M36/ 50M45/50M55/50M65	BP-51M26/51M31/51M36/ 51M45	BP-70M31/70M36/70M45/ 70M55/70M65	BP-71M31/71M36/71M45/ 71M55/71M65	BP-70M75/70M90	MX-M1056/M1206 (without Fiery option)
OS / Application Support						
Windows® 11	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Windows® 2022 Server	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Sharp Universal Driver (for Windows)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
macOS® 12	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Linux®	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
SAP® Device Types	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Cloud and Email Connect Features						
OneDrive®	Opt.	Opt.	Std.	Std.	Std.	Opt.
SharePoint® Online	Opt.	Opt.	Std.	Std.	Std.	Opt.
Microsoft Teams	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Google Drive™	Opt.	Opt.	Std.	Std.	Std.	Opt.
Box™	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Dropbox	Opt.	Opt.	Opt.	Opt.	-	Opt.
Exchange On-premises/Online (Microsoft 365™)	Opt.	Opt.	Std.	Std.	Std.	-
Gmail™	Opt.	Opt.	Std.	Std.	Std.	-
Citrix®						
Citrix Virtual Apps and Desktops 7 1912 LTSR Environment	Validated	Validated	Validated	Validated	Validated	Validated
Citrix Virtual Apps and Desktops 7 2203 LTSR Environment	-	-	-	-	-	-
Healthcare Environment						
Cerner®	Validated	Planned	Validated	Planned	Validated	Validated
Epic*	Compatible*	Compatible*	Compatible*	Compatible*	Compatible*	Compatible*
Meditech Expanse**	Compatible**	Compatible**	Compatible**	Compatible**	Compatible**	Compatible**

* Each Epic customer will have an employee trained as the Epic Technical Advisor. The Technical Advisor will approve print output device placements.
**Meditech Expanse is compatible on all MFPs. There is no formal certification program.
Items indicated with "Opt." in the table above may require additional options or software downloads.

Print and Network Compatibility (A4 Monochrome)

	BP-B550PW	BP-B540WR/ B550WD	MX-B427W	MX-B427PW	MX-B468P	MX-B468F	MX-B557P/B707P	MX-B557F
General MFP Features/Functions								
Speed	50 ppm	40/50 ppm	42 ppm	42 ppm	46 ppm	46 ppm	55/70 ppm	55 ppm
Function	P	C/P/S/F	C/P/S/F	P	P	C/P/S/F	P	C/P/S/F
Maximum Paper Size	Legal	Legal	Legal	Legal	Legal	Legal	Legal	Legal
On-screen Image Preview	Std.	Std.	-	-	-	Std.	Std.	Std.
Network Scanning	-	Std.	Opt.	-	-	Opt.	-	Std.
Hard Disk Drive / Solid State Drive	Std.	Std.	-	-	-	Opt.	Opt.	Std.
Remote Front Panel	Std.	Std.	-	-	-	Opt.	Opt.	Std.
Retractable Keyboard	-	-	-	-	-	-	-	-
Sharp OSA® Platform Version	V5.5	V5.5	-	-	-	-	-	-
Natural Language Interface								
Sharp Copier Skill For Amazon Alexa	-	-	-	-	-	-	-	-
Network Print & Scan Support								
Wireless LAN	Std.	Std.	Std.	Std.	Opt.	Opt.	Opt.	Std.
QR Code	-	Std.	-	-	-	Std.	Std.	Std.
NFC Peer-to-Peer	-	Opt.	-	-	-	-	-	Opt.
Univeral Print Support (with Connector)	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Sharpdesk® Mobile Compatibility	Opt.	Opt.	-	-	-	-	-	-
AirPrint	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Sharp Print Service Plugin For Android™ Printing Framework	Opt.	Opt.	-	-	Std.	Std.	-	-
Print Support Application	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Distributed File Systems (DFS)	-	Std.	-	-	-	-	-	Std.
IPv6	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
PostScript® Support	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Microsoft Office Direct Printing	-	Std.	-	-	Std.	Std.	Std.	Std.
Built-in OCR	-	Std.	-	-	-	-	-	Std.
USB Printing	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Compact PDF (Scan)	-	Std.	-	-	-	-	-	Std.

Print and Network Compatibility (A4 Monochrome) *continued*

	BP-B550PW	BP-B540WR/ B550WD	MX-B427W	MX-B427PW	MX-B468P	MX-B468F	MX-B557P/B707P	MX-B557F
OS / Application Support								
Windows® 11	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Windows® 2012 Server	-	-	Std.	Std.	Std.	Std.	Std.	Std.
Sharp Universal Driver (for Windows)	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
macOS® 12.6	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Linux®	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
SAP® Device Types	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Cloud and Email Connect Features								
OneDrive®	Std.	Std.	-	-	-	Opt.	-	Opt.
SharePoint® Online	Std.	Std.	-	-	-	Opt.	-	Opt.
MS Teams	Opt.	Opt.	-	-	-	Opt.	-	Opt.
Googe Drive™	Std.	Std.	-	-	-	Opt.	-	Opt.
Box™	Opt.	Opt.	-	-	-	Opt.	-	Opt.
Dropbox	Opt.	Opt.	-	-	-	Opt.	-	Opt.
Exchange On-premises/Online (Office 365™)	Std.	Std.	Std.	-	-	Std.	-	Std.
Gmail™	Std.	Std.	Std.	-	-	Std.	-	Std.
Citrix®								
Citrix Virtual Apps and Desktops 7 1912 LTSR Environment	Validated	Validated	-	-	Validated	Validated	-	-
Citrix Virtual Apps and Desktops 7 2203 LTSR Environment	Validated	Validated	Validated	Validated	Validated	Validated	Validated	Validated
Healthcare Environment								
Cerner®	Planned	Validated	Validated	Validated	Planned	Planned	Validated	Validated
Epic*	Compatible*	Compatible*	Compatible*	Compatible*	Compatible*	Compatible*	Compatible*	Compatible*
Meditech Expanse**	Compatible**	Compatible**	Compatible**	Compatible**	Compatible**	Compatible**	Compatible**	Compatible**

* Each Epic customer will have an employee trained as the Epic Technical Advisor. The Technical Advisor will approve print output device placements.
**Meditech Expanse is compatible on all MFPs. There is no formal certification program.
Items indicated with "Opt." in the table above may require additional options or software downloads.

Print and Network Compatibility (A3 Color)

	BP-50C26/50C31/ 50C36/50C45/50C55/50C65	BP-51C26/51C31/ 51C36/51C45	BP-70C31/70C36/70C45/ 70C55/70C65	BP-71C31/71C36/71C45/ 71C55/71C65	MX-7081/8081 (without Fiery option)	BP-90C70/90C80 (without Fiery option)
General MFP Features/Functions						
Speed	26/31/36/45/55/65 ppm	26/31/36/45/55/65 ppm	31/36/45/55/65 ppm	31/36/45/55/65 ppm	70/80 ppm	70/80 ppm
Function	C/P/S/F	C/P/S/F	C/P/S/F	C/P/S/F	C/P/S/F	C/P/S
Maximum Paper Size	12" x 18"	12" x 18"	12" x 18"	12" x 18"	13" x 19"	13" x 19"
On-screen Image Preview	Std.	Std.	Std.	Std.	Std.	Std.
Change toner While Printing	55 / 65 ppm Models	55 / 65 ppm Models	55 / 65 ppm Models	55 / 65 ppm Models	Std.	-
Network Scanning	Std.	Std.	Std.	Std.	Std.	Std.
Hard Disk Drive / Solid State Drive	Std. SSD (128 GB)	Std. SSD (128 GB)	Std. SSD (256 GB)	Std. SSD (256 GB)	Std. HDD (1 TB)	Std. SSD (256 GB)
Remote Front Panel	Std.	Std.	Std.	Std.	Std.	Std.
Retractable Keyboard	-	-	Std.	Std.	Std.	Std.
Sharp OSA® Platform Version	V6	V6	V6	V6	V5.5	V6
Natural Language Interface						
Sharp Copier Skill For Amazon Alexa	Opt.	Opt.	Opt.	Opt.	Opt.	-
Network Print & Scan Support						
Wireless LAN	Opt.	Opt.	Std.	Opt.	Std.	-
QR Code	Std.	Std.	Std.	Std.	Std.	-
NFC Peer-to-Peer	Std.	Std.	Std.	Std.	Std.	-
Univeral Print Support	Opt.	Opt.	Std.	Std.	Std.	Std.
Sharpdesk® Mobile Compatibility	Opt.	Opt.	Opt.	Opt.	Opt.	-
AirPrint	Opt.	Opt.	Std.	Std.	Std.	-
Sharp Print Service Plugin For Android™ Printing Framework	Opt.	Opt.	Opt.	Opt.	Opt.	-
Synappx Go	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Print Support Application	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Distributed File Systems (DFS)	Std.	Std.	Std.	Std.	Std.	Std.
IPv6	Std.	Std.	Std.	Std.	Std.	Std.
PostScript® Support	Opt.	Opt.	Std.	Std.	Std.	Std.
USB Printing	Opt.	Opt.	Std.	Std.	Std.	Std.
Microsoft Office Direct Printing	Opt.	Opt.	Std.	Std.	Std.	Std.
Built-in OCR	Opt.	Opt.	Std.	Std.	Std.	Std.
Compact PDF (Scan)	Std.	Std.	Std.	Std.	Std.	Std.

Print and Network Compatibility (A3 Color) *continued*

	BP-50C26/50C31/ 50C36/50C45/50C55/50C65	BP-51C26/51C31/ 51C36/51C45	BP-70C31/70C36/70C45/ 70C55/70C65	BP-71C31/71C36/71C45/ 71C55/71C65	MX-7081/8081 (without Fiery option)	BP-90C70/90C80 (without Fiery option)
OS / Application Support						
Windows® 11	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Windows® 2022 Server	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Sharp Universal Driver (for Windows)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
macOS® 12	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Linux®	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
SAP® Device Types	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Cloud and Email Connectivity						
OneDrive®	Opt.	Opt.	Std.	Std.	Opt.	Std.
SharePoint® Online	Opt.	Opt.	Std.	Std.	Opt.	Std.
Microsoft Teams	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Googe Drive™	Opt.	Opt.	Std.	Std.	Opt.	Std.
Box™	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Dropbox	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Exchange On-premises/Online (Microsoft 365™)	Std.	Std.	Std.	Std.	Opt.	Opt.
Gmail™	Std.	Std.	Std.	Std.	Std.	Std.
Citrix®						
Citrix Virtual Apps and Desktops 7 1912 LTSR Environment	Validated	Validated	Validated	Validated	-	Validated
Citrix Virtual Apps and Desktops 7 2203 LTSR Environment	-	-	-	-	-	Validated
Healthcare Environment						
Cerner®	In Progress	In Progress	In Progress	In Progress	Validated	-
Epic*	Compatible*	Compatible*	Compatible*	Compatible*	Compatible*	Compatible*
Meditech Expanse**	Compatible**	Compatible**	Compatible**	Compatible**	Compatible**	-

* Each Epic customer will have an employee trained as the Epic Technical Advisor. The Technical Advisor will approve print output device placements.
**Meditech Expanse is compatible on all MFPs. There is no formal certification program.
Items indicated with "Opt." in the table above may require additional options or software downloads.

Print and Network Compatibility (A4 Color)

	BP-C131PW	BP-C131WD	BP-C535WR/ C535WD/C545WD	BP-C545PW	MX-C358F	MX-C428F/C528F	MX-C428P	MX-C528P	MX-C607P
General MFP Features/Functions									
Speed	31 ppm	31 ppm	35/45 ppm	45 ppm	35 ppm	42/52 ppm	42ppm	52 ppm	60 ppm
Function	P	C/P/S/F	C/P/S/F	P	C/P/S/F	C/P/S/F	P	P	P
Maximum Paper Size	Legal	Legal	Legal	Legal	Legal	Legal	Legal	Legal	Legal
On-screen Image Preview	-	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Network Scanning	-	Std.	Std.	-	Std.	Std.	-	-	-
Hard Disk Drive / Solid State Drive	Std. 16GB	Std. 16GB	Std. SSD (128 GB) Opt. SSD (512 GB)	Std. SSD (128 GB) Opt. SSD (512 GB)	Opt. HDD (500 GB) or SSD (128 GB)	Opt. (C428F) HDD (500GB) Std. (C528F) HDD (500GB)	Opt. SSD (120 GB)	Opt. HDD (500 GB), SSD (128 GB)	Opt. (320 GB)
Remote Front Panel	Opt. through webpage	Opt. through webpage	Std.	Std.	Opt.	Opt.	Opt.	Opt.	Opt.
Retractable Keyboard	-	-	-	-	-	-	-	-	-
Sharp OSA® Platform Version	-	-	V6	V6	-	-	-	-	-
Natural Language Interface									
Sharp Copier Skill For Amazon Alexa	-	-	-	-	-	-	-	-	-
Network Print & Scan Support									
Wireless LAN	Std.	Std.	Std.	Std.	Opt.	Opt.	Opt.	Opt.	Opt.
QR Code	-	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.
NFC Peer-to-Peer	-	-	Opt.	Opt.	-	-	-	-	-
Universal Print Support (with Connector)	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Sharpdesk® Mobile Compatibility	Std.	Std.	Std.	Std.	-	-	-	-	-
AirPrint	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Sharp Print Service Plugin For Android™ Printing Framework	Std.	Std.	Std.	Std.	-	-	-	-	-
Synappx Go	Std.	Std.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Print Support Application	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Distributed File Systems (DFS)	-	-	Std.	Std.	-	-	-	-	-
IPv6	-	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.
PostScript® Support	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
USB Printing	Additonal Memory Needed	Additonal Memory Needed	Opt.	Opt.	Std.	Std.	Std.	Std.	Std.
Microsoft Office Direct Printing	-	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Built-in OCR	-	-	Opt. (C535WR) Std. (C535WD/ C545WD)	-	-	No (C428F) Std. (C528F)	-	-	-
Compact PDF (Scan)	-	-	Std.	-	-	No (C428F) Std. (C528F)	-	-	-

Print and Network Compatibility (A4 Color) *continued*

	BP-C131PW	BP-C131WD	BP-C535WR/ C535WD/C545WD	BP-C545PW	MX-C358F	MX-C428F/C528F	MX-C428P	MX-C528P	MX-C607P
OS / Application Support									
Windows® 11	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Windows® 2022 Server	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Sharp Universal Driver (for Windows)	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
macOS® 12	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Linux®	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
SAP® Device Types	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Remote Front Panel	Opt. through webpage	Opt. through webpage	Std.	Std.	Opt.	Opt.	Opt.	Opt.	Opt.
Retractable Keyboard	-	-	-	-	-	-	-	-	-
Sharp OSA® Platform Version	-	-	V6	V6	-	-	-	-	-
Cloud and Email Connectivity									
OneDrive®	-	-	Opt.	Opt.	Opt.	Opt.	-	-	-
SharePoint® Online	-	-	Opt.	Opt.	Opt.	Opt.	-	-	-
Microsoft Teams	-	-	Opt.	Opt.	-	-	-	-	-
Googe Drive™	-	-	Opt.	Opt.	Opt.	Opt.	-	-	-
Box™	-	-	Opt.	Opt.	Opt.	Opt.	-	-	-
Dropbox	-	-	Opt.	Opt.	Opt.	Opt.	-	-	-
Exchange On-premises/Online (Office 365™)	-	-	Opt.	Opt.	Opt.	Opt.	-	-	-
Gmail™	-	-	Opt.	Opt.	Opt.	Opt.	-	-	-
Cloud and Email Connectivity									
Citrix Virtual Apps and Desktops 7 1912 LTSR Environment	Validated	Validated	Validated	Validated	Validated	Validated	Validated	Validated	Validated
Citrix Virtual Apps and Desktops 7 2203 LTSR Environment	Validated	Validated	Validated	Validated	Validated	Validated	Validated	Validated	Validated
Healthcare Environment									
Cerner®	Planned	Planned	Validated	Planned	Planned	Planned	Planned	Planned	Planned
Epic*	Compatible*	Compatible*	Compatible*	Compatible*	Compatible*	Compatible*	Compatible*	Compatible*	Compatible*
Meditech Expanse**	-	-	-	-	Compatible**	Compatible**	Compatible**	Compatible**	Compatible**

* Each Epic customer will have an employee trained as the Epic Technical Advisor. The Technical Advisor will approve print output device placements.
**Meditech Expanse is compatible on all MFPs. There is no formal certification program.
Items indicated with "Opt." in the table above may require additional options or software downloads.

Device Management Compatibility (A3 Monochrome)

	BP-50M26/50M31/50M36/ 50M45/50M55/50M65	BP-51M26/51M31/51M36/ 51M45	BP-70M31/70M36/70M45/ 70M55/70M65	BP-71M31/71M36/71M45/ 71M55/71M65	BP-70M75/70M90	MX-M1056/M1206 (without Fiery option)
General MFP Features/Functions						
Speed	26/31/36/45/55/65 ppm	26/31/36/45/55/65 ppm	31/36/45/55/65 ppm	31/36/45/55/65 ppm	75/90 ppm	105/120 ppm
Sharp Administration Utility						
Printer Status Monitor	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Sharp MFP Device Webpage (when DSK is installed, some user features are restricted)						
Device Status	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
TLS Secured Device Home Page Access	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
User Address Book (Local)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
User Address Book (Global)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Administrator Features						
Password Protected Access	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
User Role (Admin, Users, etc.)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
User/Group Access Control, Page Limit and Permissions	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
System, Network, Security, Application Energy Configuration	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Email Notification Setting	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Energy/Toner Saving Mode	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
MFP Home Screen Customization	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
USB Device Support (e.g. ID card reader)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Job Log	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Audit/Event Log	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Operation Manual Download	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Device Management (SRDM/Synappx Manage Common)						
Device Discovery (inc. SNMP V3)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Device Status	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Meter Counts	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Tray and Supply Status	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Device Information Including Serial Number, Device Name, MAC Address, etc.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Email Alert For Status Changes, Errors, Warnings and Maintenance Conditions	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.

Device Management Compatibility (A3 Monochrome) *continued*

	BP-50M26/50M31/50M36/ 50M45/50M55/50M65	BP-51M26/51M31/51M36/ 51M45	BP-70M31/70M36/70M45/ 70M55/70M65	BP-71M31/71M36/71M45/ 71M55/71M65	BP-70M75/70M90	MX-M1056/M1206 (without Fiery option)
Device Management (SRDM/Synappx Manage Common) <i>continued</i>						
Print Driver Distribution (Preconfig- ured)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Power Management	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Security Policy Management and Mon- itoring	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Remote Operation Panel (Synappx Manage Requires Agent)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Device Web Page Access (SRDM and Synappx Manage Direct Con- nect Require VPN)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Firmware Version	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Storage Backup (Address Book, User List, etc. Scheduled/On De- mand)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Device Cloning (Scheduled/On De- mand)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Device Managenet Features Synappx Manage Only						
Agent Connection	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Direct Connect (Agentless)	Opt.	Opt.	Opt.	Opt.	Opt.	No
Service Features (SRDM/Synappx Manage Common)						
Service Reports (22-6, 23-2)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Remote SIM Access	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Remote Firmware Updates (Scheduled)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Service Features Synappx Manage Only						
Remote Firmware Updates (OTA, New Firmware Indication)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
CEO Juice Integration	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
ConnectWise PSA Integration	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.

Items indicated with “Opt.” in the table above may require additional options or software downloads.
Refer to Synappx Manage product information for a full list of supported features and conditions.

Device Management Compatibility (A4 Monochrome)

	BP-B550PW	BP-B540WR/ B550WD	MX-B427W	MX-B427PW	MX-B468P	MX-B468F	MX-B557P/B707P	MX-B557F
General MFP Features/Functions								
Speed	50 ppm	40/50 ppm	42 ppm	42 ppm	46 ppm	46 ppm	55/70 ppm	55 ppm
Sharp Administration Utility								
Printer Status Monitor	Opt.	Opt.	-	-	-	-	-	-
Sharp MFP Device Webpage (when DSK is installed, some user features are restricted)								
Device Status	Opt.	Opt.	DSK not avail.	DSK not avail.	DSK not avail.	DSK not avail.	DSK not avail.	DSK not avail.
TLS Secured Device Home Page Access	Opt.	Opt.	DSK not avail.	DSK not avail.	DSK not avail.	DSK not avail.	DSK not avail.	DSK not avail.
User Address Book (Local)	DSK not avail.	Opt.	DSK not avail.	DSK not avail.	DSK not avail.	DSK not avail.	DSK not avail.	DSK not avail.
User Address Book (Global)	DSK not avail.	Opt.	DSK not avail.	DSK not avail.	DSK not avail.	DSK not avail.	DSK not avail.	DSK not avail.
Administrator Features								
Password Protected Access	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
User Role (Admin, Users, etc.)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
User/Group Access Control, Page Limit and Permissions	Opt.	Opt.	-	-	Opt.	Opt.	Opt.	Opt.
System, Network, Security, Application Energy Configuration	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Email Notification Setting	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Energy/Toner Saving Mode	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
MFP Home Screen Customization	Opt.	Opt.	-	-	-	Opt.	-	Opt.
USB Device Support (e.g. ID card reader)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Job Log	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Audit/Event Log	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Operation Manual Download	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.

Device Management Compatibility (A4 Monochrome) *continued*

	BP-B550PW	BP-B540WR/ B550WD	MX-B427W	MX-B427PW	MX-B468P	MX-B468F	MX-B557P/B707P	MX-B557F
Device Management (SRDM/Synappx Manage Common)								
Device Discovery (inc. SNMP V3)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Device Status	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Meter Counts	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Tray and Supply Status	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Device Information Including Serial Number, Device Name, MAC Address, etc.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Email Alert For Status Changes, Errors, Warnings and Maintenance Conditions	Opt.	Opt.	Select Features	Select Features	Select Features	Select Features	Select Features	Select Features
Print Driver Distribution (Preconfigured)	Opt.	Opt.	via UD	via UD	via UD	via UD	via UD	via UD
Power Management	Opt.	Opt.	-	-	-	-	-	-
Security Policy Management and Monitoring	Opt.	Opt.	-	-	-	-	-	-
Device Web Page Access (SRDM and Synappx Manage Direct Connect Require VPN)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Remote Operation Panel	Opt. (Synappx Manage needs agent)	Opt. (Synappx Manage needs agent)	Opt. (Synappx Manage)	-	-	Opt. (Synappx Manage)	-	Opt. (Synappx Manage)
Firmware Version	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Storage Backup (Address Book, User List, etc. Scheduled/On Demand)	Opt.	Opt.	-	-	-	-	-	-
Device Cloning (Scheduled/On Demand)	Opt.	Opt.	-	-	-	-	-	-
Device Managenet Features Synappx Manage Only								
Agent Connection	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Direct Connect (Agentless)	Opt.	Opt.	Opt. (via app)	Opt. (via app)	Opt. (via app)	Opt. (via app)	Opt. (via app)	Opt. (via app)
Service Features (SRDM/Synappx Manage Common)								
Service Reports (22-6, 23-2)	Opt.	Opt.	-	-	-	-	-	-
Remote SIM Access	Opt.	Opt.	-	-	-	-	-	-
Remote Firmware Updates (Scheduled)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Service Features Synappx Manage Only								
Remote Firmware Updates (OTA, New Firmware Indication)	Opt.	Opt.	-	-	-	-	-	-
CEO Juice Integration	Opt.	Opt.	-	-	-	-	-	-
ConnectWise PSA Integration	Opt.	Opt.	-	-	-	-	-	-

Items indicated with “Opt.” in the table above may require additional options or software downloads.
Refer to Synappx Manage product information for a full list of supported features and conditions.

Device Management Compatibility (A3 Color)

	BP-50C26/50C31/ 50C36/50C45/50C55/50C65	BP-51C26/51C31/ 51C36/51C45	BP-70C31/70C36/70C45/ 70C55/70C65	BP-71C31/71C36/71C45/ 71C55/71C65	MX-7081/8081 (without Fiery option)	BP-90C70/90C80 (without Fiery option)
General MFP Features/Functions						
Speed	26/31/36/45/55/65 ppm	26/31/36/45/55/65 ppm	31/36/45/55/65 ppm	31/36/45/55/65 ppm	70/80 ppm	70/80 ppm
Sharp Administration Utility						
Printer Status Monitor	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Sharp MFP Device Webpage (when DSK is installed, some user features are restricted)						
Device Status	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
TLS Secured Device Home Page Access	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
User Address Book (Local)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
User Address Book (Global)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Administrator Features						
Password Protected Access	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
User Role (Admin, Users, etc.)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
User/Group Access Control, Page Limit and Permissions	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
System, Network, Security, Application Energy Configuration	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Email Notification Setting	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Energy/Toner Saving Mode	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
MFP Home Screen Customization	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
USB Device Support (e.g. ID card reader)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Job Log	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Audit/Event Log	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Operation Manual Download	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.

Device Management Compatibility (A3 Color) *continued*

	BP-50C26/50C31/ 50C36/50C45/50C55/50C65	BP-51C26/51C31/ 51C36/51C45	BP-70C31/70C36/70C45/ 70C55/70C65	BP-71C31/71C36/71C45/ 71C55/71C65	MX-7081/8081 (without Fiery option)	BP-90C70/90C80 (without Fiery option)
Device Management (SRDM/Synappx Manage Common)						
Device Discovery (inc. SNMP V3)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Device Status	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Meter Counts	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Tray and Supply Status	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Device Information Including Serial Number, Device Name, MAC address, etc.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Email Alert For Status Changes, Errors, Warnings and Maintenance Conditions	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Print Driver Distribution (Preconfigured)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Power Management	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Security Policy Management and Monitoring	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Remote Operation Panel (Synappx Manage Requires Agent)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Device Web Page Access (SRDM and Synappx Manage Direct Connect Require VPN)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Firmware Version	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Storage Backup (Address Book, User List, etc. Scheduled/On Demand)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Device Cloning (Scheduled/On Demand)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Device Managenet Features Synappx Manage Only						
Agent Connection	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Direct Connect (Agentless)	Opt.	Opt.	Opt.	Opt.	No	Opt.
Service Features (SRDM/Synappx Manage Common)						
Service Reports (22-6, 23-2)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Remote SIM Access	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Remote Firmware Updates (Scheduled)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Service Features Synappx Manage Only						
Remote Firmware Updates (OTA, New Firmware Indication)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
CEO Juice Integration	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
ConnectWise PSA Integration	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.

Items indicated with “Opt.” in the table above may require additional options or software downloads.
Refer to Synappx Manage product information for a full list of supported features and conditions.

Device Management Compatibility (A4 Color)

	BP-C131PW	BP-C131WD	BP-C545PW	BP-C535WR/ C535WD/C545WD	MX-C358F	MX-C428F/C528F	MX-C428P	MX-C528P	MX-C607P
General MFP Features/Functions									
Speed	31 ppm	31 ppm	45 ppm	35/45 ppm	35 ppm	42/52 ppm	42 ppm	52 ppm	60 ppm
Sharp Administration Utility									
Printer Status Monitor	Opt.	Opt.	Opt.	Opt.	-	-	-	-	-
Sharp MFP Device Webpage (when DSK is installed, some user features are restricted)									
Device Status	DSK not avail	DSK not avail	Opt.	Opt.	DSK not avail	DSK not avail	DSK not avail	DSK not avail	DSK not avail
TLS Secured Device Home Page Access	DSK not avail	DSK not avail	Opt.	Opt.	DSK not avail	DSK not avail	DSK not avail	DSK not avail	DSK not avail
User Address Book (Local)	DSK not avail	DSK not avail	DSK not avail.	Opt.	DSK not avail	DSK not avail	DSK not avail	DSK not avail	DSK not avail
User Address Book (Global)	DSK not avail	DSK not avail	DSK not avail.	Opt.	DSK not avail	DSK not avail	DSK not avail	DSK not avail	DSK not avail
Administrator Features									
Password Protected Access	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
User Role (Admin, Users, etc.)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
User/Group Access Control, Page Limit and Permissions	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
System, Network, Security, Application Energy Configuration	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Email Notification Setting	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Energy/Toner Saving Mode	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Home Screen Customization	From webpage	From webpage	Opt.	Opt.	Opt.	Opt.	-	-	-
USB Device Support (e.g. ID card reader)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Job Log	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Audit/Event Log	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Operation Manual Download	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.

Device Management Compatibility (A4 Color) *continued*

	BP-C131PW	BP-C131WD	BP-C545PW	BP-C535WR/ C535WD/C545WD	MX-C358F	MX-C428F/C528F	MX-C428P	MX-C528P	MX-C607P
Device Management (SRDM/Synappx Manage Common)									
Device Discovery (inc. SNMP V3)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Device Status	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Meter Counts	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Tray and Supply Status	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Device Information Including Serial Number, Device Name, MAC address, etc.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Email Alert For Status Changes, Errors, Warnings and Maintenance Conditions	Select features	Select features	Opt.	Opt.	Select features	Select features	Select features	Select features	Select features
Print Driver Distribution (Preconfig-ured)	Opt.	Opt.	Opt.	Opt.	via UD	via UD	via UD	via UD	via UD
Power Management	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Security Policy Management and Mon-itoring	-	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Device Web Page Access (SRDM and Synappx Manage Direct Connect Re-quire VPN)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Remote Operation Panel	Opt. (not SRDM)	Opt. (not SRDM)	Opt.	Opt.	Opt. (not SRDM)	Opt. (not SRDM)	Opt. (not SRDM)	Opt. (not SRDM)	Opt. (not SRDM)
Firmware Version	Opt. (not SRDM)	Opt. (not SRDM)	Opt.	Opt.	Opt. (not SRDM)	Opt. (not SRDM)	Opt. (not SRDM)	Opt. (not SRDM)	Opt. (not SRDM)
Storage Backup (Address Book, User List, etc. Scheduled/On Demand)	-	-	Opt.	Opt.	-	-	-	-	-
Device Cloning (Scheduled/On Demand)	Opt.	Opt.	Opt.	Opt.	-	-	-	-	-
Device Managenet Features Synappx Manage Only									
Audit/Event Log	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Operation Manual Download	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Service Features (SRDM/Synappx Manage Common)									
Service Reports (22-6, 23-2)	Opt.	Opt.	Opt.	Opt.	-	-	-	-	-
Remote SIM Access	Opt.	Opt.	Opt.	Opt.	-	-	-	-	-
Remote Firmware Updates (Scheduled)	Opt.	Opt.	Opt.	Opt.	-	-	-	-	-
Service Features Synappx Manage Only									
Remote Firmware Updates (OTA, New Firmware Indication)	Opt.	Opt.	Opt.	Opt.	-	-	-	-	-
CEO Juice Integration	-	-	Opt.	Opt.	-	-	-	-	-
ConnectWise PSA Integration	-	-	Opt.	Opt.	-	-	-	-	-

Items indicated with “Opt.” in the table above may require additional options or software downloads.
Refer to Synappx Manage product information for a full list of supported features and conditions.

Sharp Security Suite Compatibility (Monochrome)

	BP-B550PW	BP-B540WR/B550WD	BP-50M26/50M31/50M36/50M45/50M55/50M65	BP-51M26/51M31/51M36/51M45	BP-70M31/70M36/70M45/70M55/70M65	BP-71M31/71M36/71M45/71M55/71M65	BP-70M75/70M90	MX-M1056/M1206
General MFP Features/Functions								
Speed	50 ppm	40/50 ppm	26/31/36/45/55/65 ppm	26/31/36/45/55/65 ppm	31/36/45/55/65 ppm	31/36/45/55/65 ppm	75/90 ppm	105/120 ppm
Hard Disk Drive / Solid State Drive	Std. SSD (128 GB)	Std. SSD (128 GB)	Std. SSD (128 GB)	Std. SSD (128 GB)	Std. SSD (256 GB)	Std. SSD (256 GB)	Std. SSD (256 GB)	Std. HDD (1 TB)
Data Security Kit (DSK) & Common Criteria Certification								
Data Security Kit (optional)	BP-FR12UL	BP-FR12UL	BP-FR12UL	BP-FR12UL	BP-FR12UL	BP-FR12UL	BP-FR12UL	MX-FR66U
Common Criteria Certification (HCD PP v1.0)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	-
Data and Information Security								
Data Overwrite (Auto)	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Up to 10 times
Data Overwrite (Manual)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Data Overwrite At Power-up	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Custom Overwrite Pattern	-	-	-	-	-	-	-	"User settable, DoD5220.22-M preset"
256-bit Data Encryption	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
End-of-Lease Data Erase	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Trusted Platform Module (TPM)	Opt.	Opt.	Std.	Std.	Std.	Std.	Std.	Opt.
BIOS Integrity Check at Startup	-	-	Std.	Std.	Std.	Std.	Std.	-
Intrusion Detection	Opt.	Opt.	Std.	Std.	Std.	Std.	Std.	-
Application Allowlisting	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Firmware Attack Prevention & Self Recovery	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Virus Detection Kit option (powered by Bitdefender)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	-
Access Control Security								
User Authentication (Local Address Book)	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
User Authentication (LDAP)	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
User Authentication (Active Directory)	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Group Authorization	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Page Limit Control	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Password Protected Access To Device Web Page	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Restrict List Printing	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Scan To Home Directory	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.

Sharp Security Suite Compatibility (Monochrome) *continued*

	BP-B550PW	BP-B540WR/B550WD	BP-50M26/50M31/50M36/50M45/50M55/50M65	BP-51M26/51M31/51M36/51M45	BP-70M31/70M36/70M45/70M55/70M65	BP-71M31/71M36/71M45/71M55/71M65	BP-70M75/70M90	MX-M1056/M1206
Access Control Security <i>continued</i>								
Scan Only To Logged-in User's Email	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Disable Destination Method Selection	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Disable Address Book Registration	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Receipt Rejection From Specified User(s)	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Lock Users After 3 Tries	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
USB Card Reader Support	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Network Security								
Active Directory (AD) Integration	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
TLS Encryption	Std. (v.1.3)	Std. (v.1.3)	Std. (v.1.3)	Std. (v.1.3)	Std. (v.1.3)	Std. (v.1.3)	Std. (v.1.3)	Std. (v.1.2)
2048 Certificate	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Opt.
Security AD Policy	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
SNMPv3 Support	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
SNMP Community String Support	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Kerberos	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
IPv6 and IPsec	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Device Certificates	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
IP Address Filtering	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
MAC Address Filtering	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Port Control (Disable/Enable Ports)	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
CSRF Measure	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Admin Password Protection*	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
IEEE 802.1X	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
SHA-2	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
S/MIME	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.

Sharp Security Suite Compatibility (Monochrome) *continued*

	BP-B550PW	BP-B540WR/B550WD	BP-50M26/50M31/50M36/50M45/50M55/50M65	BP-51M26/51M31/51M36/51M45	BP-70M31/70M36/70M45/70M55/70M65	BP-71M31/71M36/71M45/71M55/71M65	BP-70M75/70M90	MX-M1056/M1206
Access Control Security <i>continued</i>								
Scan Only To Logged-in User's Email	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Disable Destination Method Selection	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Disable Address Book Registration	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Receipt Rejection From Specified User(s)	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Lock Users After 3 Tries	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
USB Card Reader Support	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Fax Security (Fax Option May Required)								
Separation Between Fax and Network	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Confidential Fax	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Filter Junk Fax	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Document Security								
Job Status Display Only Logged-in User	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Secure Pull Print FTP/SMB	Std./SMB v3.1.1	Std./SMB v3.1.1	Std./SMB v3.1.1	Std./SMB v3.1.1	Std./SMB v3.1.1	Std./SMB v3.1.1	Std./SMB v3.1.1	Std.
Secure Print Release With a PIN Number	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Serverless Print Release	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Encrypted PDF Transmission	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Encrypted PDF Direct Printing	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Hidden Security Pattern Print	Std.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Hidden Security Pattern Detection	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Audit Trail and Other Security								
Job Log and Usage Tracking	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Admin Audit Tracking (SIEM and Syslog Integration)	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Digitally Signed Firmware	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.

Items indicated with "Opt." in the table above may require additional options or software downloads.
* Admin password can be protected when a Sharp MFP is accessed from FTP, preventing password leakage.

Sharp Security Suite Compatibility (Color)

	BP-C131WD/PW	BP-C545PW	BP-C535WR/ C535WD/C545WD	BP-50C26/50C31/ 50C36/50C45/50C55/ 50C65	BP-51C26/51C31/ 51C36/51C45	BP-70C31/70C36/ 70C45/ 70C55/70C65	BP-71C31/71C36/71C45/ 71C55/71C65	MX-7081/8081 (without Fiery option)	BP-90C70/90C80 (without Fiery option)
General MFP Features/Functions									
Speed	31 ppm	45 ppm	35/45 ppm	26/31/36/45/55/65 ppm	26/31/36/45/55/65 ppm	31/36/45/55/65 ppm	31/36/45/55/65 ppm	70/80 ppm	70/80 ppm
Hard Disk Drive / Solid State Drive	Std. eMMC (16GB)	Std. SSD (128GB)	Std. SSD (128GB)	Std. SSD (128 GB)	Std. SSD (128 GB)	Std. SSD (256 GB)	Std. SSD (256 GB)	Std. HDD (1 TB)	Std. SSD (256 GB)
Data Security Kit (DSK) & Common Criteria Certification									
Data Security Kit (optional)	-	BP-FR12UL	BP-FR12UL	BP-FR12UL	BP-FR12UL	BP-FR12UL	BP-FR12UL	MX-FR55U	BP-FR23UL
Common Criteria Certification (HCD PP v1.0)	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	-	Opt.
Data and Information Security									
Data Overwrite (Auto)	-	Std.	Std.	Std.	Std.	Std.	Std.	Up to 10 times	Std.
Data Overwrite (Manual)	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Data Overwrite At Power-up	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Custom Overwrite Pattern	-	-	-	-	-	-	-	User settable, DoD5220.22-M preset	-
256-bit Data Encryption	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
End-of-Lease Data Erase	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Trusted Platform Module (TPM)	-	Std.	Std.	Std.	Std.	Std.	Std.	Opt.	Std.
BIOS Integrity Check at Startup	-	Std.	Std.	Std.	Std.	Std.	Std.	-	Std.
Intrusion Detection	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Application Allowlisting	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Firmware Attack Prevention & Self Recovery	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Virus Detection Kit option (powered by Bitdefender)	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	-	Opt.
Access Control Security									
User Authentication (Local Address Book)	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
User Authentication (LDAP)	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
User Authentication (Active Directory)	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Group Authorization	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Page Limit Control	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Password Protected Access To Device Web Page	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Restrict List Printing	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Scan To Home Directory	-	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Scan Only To Logged-in User's Email	-	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Disable Destination Method Selection	-	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.

Sharp Security Suite Compatibility (Color) *continued*

	BP-C131WD/PW	BP-C545PW	BP-C535WR/ C535WD/C545WD	BP-50C26/50C31/ 50C36/50C45/50C55/ 50C65	BP-51C26/51C31/ 51C36/51C45	BP-70C31/70C36/ 70C45/ 70C55/70C65	BP-71C31/71C36/71C45/ 71C55/71C65	MX-7081/8081 (without Fiery option)	BP-90C70/90C80 (without Fiery option)
Access Control Security <i>continued</i>									
Disable Address Book Registration	-	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Receipt Rejection From Specified User(s)	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Lock Users After 3 Tries	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
USB Card Reader Support	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Network Security									
Active Directory Integration	-	Std. Group Policy	Std. Group Policy	Std. Group Policy	Std. Group Policy	Std. Group Policy	Std. Group Policy	Std.	Std. Group Policy
TLS Encryption	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
2048 Certificate	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Security AD Policy	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
SNMPv3 Support	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
SNMP Community String Support	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Kerberos	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
IPv6 and IPsec	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Device Certificates	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
IP Address Filtering	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
MAC Address Filtering	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Port Control (Disable/Enable Ports)	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
CSRF Measure	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Admin Password Protection*	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
IEEE 802.1X Support	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
SHA-2	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
S/MIME	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Fax Security (Fax Option May Required)									
Separation Between Fax and Network	Std. BP-C131WD Only	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Confidential Fax	Std. BP-C131WD Only	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Filter Junk Fax	Std. BP-C131WD Only	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.

Sharp Security Suite Compatibility (Color) *continued*

	BP-C131WD/PW	BP-C545PW	BP-C535WR/ C535WD/C545WD	BP-50C26/50C31/ 50C36/50C45/50C55/ 50C65	BP-51C26/51C31/ 51C36/51C45	BP-70C31/70C36/ 70C45/ 70C55/70C65	BP-71C31/71C36/71C45/ 71C55/71C65	MX-7081/8081 (without Fiery option)	BP-90C70/90C80 (without Fiery option)
Document Security									
Job Status Display Only Logged-in User	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Secure Pull Print FTP/SMB	-	Std./SMB v3.1.1	Std./SMB v3.1.1	Std./SMB v3.1.1	Std./SMB v3.1.1	Std./SMB v3.1.1	Std./SMB v3.1.1	Std.	Std./SMB v3.1.1
Secure Print Release With a PIN Num- ber	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Serverless Print Release	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Encrypted PDF Transmission	Std.	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Encrypted PDF Direct Printing	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Hidden Security Pattern Print	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Hidden Security Pattern Detection	-	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Audit Trail and Other Security									
Job Log and Usage Tracking	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Admin Audit Tracking (SIEM and Syslog Integration)	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Digitally Signed Firmware	-	Std.	Std.	Std.	Std.	Std.	Std.	Opt.	Opt.

*Admin password can be protected when a Sharp MFP is accessed from FTP, preventing password leakage.
**Only supports the file without a password.
Items indicated with "Opt." in the table above may require additional options or software downloads.

Sharp Security Suite Compatibility

	MX-B427PW	MX-B427W	MX-B468P	MX-B468F	MX-B557P/ B707P	MX-B557F	MX-C358F	MX-C428F	MX-C528F	MX-C428P	MX-C528P	MX-C607P
General MFP Features/Functions												
Speed	42 ppm	42 ppm	46 ppm	46 ppm	55/70 ppm	55 ppm	35 ppm	42 ppm	52 ppm	42 ppm	52 ppm	60 ppm
Hard Disk Drive (HDD)	-	-	-	500 GB (option)	500 GB (option)	500 GB (Std.)	500 GB (option)	500 GB (option)	128GB (Std.)	500 GB (option)	500 GB (option)	500 GB (option)
Data Security Kit (DSK) & Common Criteria Certification												
Data Security Kit (optional)	-	-	-	-	-	-	-	-	-	-	-	-
Common Criteria Certification	-	-	-	-	-	-	-	-	-	-	-	-
Data and Information Security												
Data Overwrite (Auto)	Opt. (DRAM only)	Opt. (DRAM only)	Opt. (DRAM only)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Data Overwrite (Manual)	Opt. (NVRAM only)	Opt. (NVRAM only)	Opt. (NVRAM only)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Data Overwrite (Scheduled)	-	-	-	-	-	-	-	-	-	-	-	-
Data Overwrite (1, 3 or 7 times)	-	-	-	Opt. (with opt. HDD)	Opt. (with opt. HDD)	Opt.	Opt. (with opt. HDD)	Opt. (with opt. HDD)	Opt.	Opt. (with opt. HDD)	Opt. (with opt. HDD)	Opt. (with opt. HDD)
Custom Overwrite Pattern (complies with DoD)	-	-	-	Opt. (with opt. HDD)	Opt. (with opt. HDD)	Opt.	Opt. (with opt. HDD)	Opt. (with opt. HDD)	Opt.	Opt. (with opt. HDD)	Opt. (with opt. HDD)	Opt. (with opt. HDD)
256-bit Data Encryption	-	-	-	Opt. (with opt. HDD)	Opt. (with opt. HDD)	Opt.	Opt. (with opt. HDD)	Opt. (with opt. HDD)	Opt.	Opt. (with opt. HDD)	Opt. (with opt. HDD)	Opt. (with opt. HDD)
Out of Service Data Erase (End-of-Lease)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Secure Element Feature (TPM)	-	-	Option	Option	Option	Option	Option	Option	Option	Option	Option	Option
Application Allowlisting	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Secure Boot (similar to firmware attack prevention)	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Continuous Integrity Check	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Access Control Security												
User Authentication (Local Address Book)	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
User Authentication (LDAP)	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
User Authentication (Active Directory)	-	-	-	Std.	-	Std.	Std.	Std.	Std.	-	-	-
Password Protected Access To Device Web Page	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Group Authorization	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Page Limit Control (with device quota app)	-	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Restrict Color Printing (Permissions setting)	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Restrict List Printing	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.

Sharp Security Suite Compatibility *continued*

	MX-B427PW	MX-B427W	MX-B468P	MX-B468F	MX-B557P/ B707P	MX-B557F	MX-C358F	MX-C428F	MX-C528F	MX-C428P	MX-C528P	MX-C607P
Access Control Security <i>(continued)</i>												
Scan To Home Directory (with scan center app)	-	-	-	Opt.	-	Opt.	Opt.	Opt.	-	-	-	-
Scan Only To Logged-in User's Email	-	-	-	Opt.	-	Opt.	Opt.	Opt.	-	-	-	-
Disable Destination Method Selection	-	-	-	-	-	-	-	-	-	-	-	-
Disable Address Book Registration	-	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
User Lock Out After Failed Login Attempts (panel)	1-10 tries	1-10 tries	1-10 tries	1-10 tries	1-10 tries	1-10 tries	1-10 tries	1-10 tries	1-10 tries	1-10 tries	1-10 tries	1-10 tries
User Lock Out Time (panel)	1-60 minutes	1-60 minutes	1-60 minutes	1-60 minutes	1-60 minutes	1-60 minutes	1-60 minutes	1-60 minutes	1-60 minutes	1-60 minutes	1-60 minutes	1-60 minutes
User Lock Out Time (webpage)	1-60 minutes	1-60 minutes	1-60 minutes	1-60 minutes	1-60 minutes	1-60 minutes	1-60 minutes	1-60 minutes	1-60 minutes	1-60 minutes	1-60 minutes	1-60 minutes
Network Security												
Active Directory Integration	As a printer	As a printer	As printer	As printer	As printer	As printer	As printer	As printer	As printer	As printer	As printer	As printer
TLS Encryption	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
2048-bit Certificate	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Security Policy Management	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
SNMPv3 Support	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
SNMP Community String Support	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Kerberos	-	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Secure SMTP server (HTTPS)	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
IPv6 and IPsec	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Device Certificates	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Configurable CA Certificate	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
IP Address Filtering	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
MAC Address Filtering	-	-	-	-	-	-	-	-	-	-	-	-
Port Control (Disable/Enable Ports)	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
CSRF (Cross Site Request Forgery) Counter Measure	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Admin Password Protection	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
IEEE 802.1X	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
SHA-2 Secure Hash Algorithm	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
S/MIME Public Key Encryption	-	-	-	-	-	-	-	-	-	-	-	-

Sharp Security Suite Compatibility *continued*

	MX-B427PW	MX-B427W	MX-B468P	MX-B468F	MX-B557P/ B707P	MX-B557F	MX-C358F	MX-C428F	MX-C528F	MX-C428P	MX-C528P	MX-C607P
Fax Security (Fax Option May Required)												
Separation Between Fax and Network	-	Std.	-	Std.	-	Std.	Std.	Std.	Std.	-	-	-
Confidential Fax	-	Std.	-	Std.	-	Std.	Std.	Std.	Std.	-	-	-
Filter Junk Fax	-	Std.	-	Std.	-	Std.	Std.	Std.	Std.	-	-	-
Document Security												
Job Status Display Only Logged-in User	-	-	-	-	-	-	-	-	-	-	-	-
Secure Pull Print FTP/SMB	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Secure Print Release With a PIN Number	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Serverless Print Release	-	-	-	-	-	-	-	-	-	-	-	-
Encrypted PDF Transmission	-	-	-	-	-	-	-	-	-	-	-	-
Encrypted PDF Direct Printing	-	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Hidden Security Pattern Print	-	-	-	-	-	-	-	-	-	-	-	-
Hidden Security Pattern Detection	-	-	-	-	-	-	-	-	-	-	-	-
Audit Trail and Other Security												
Job Log and Usage Tracking	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Admin Audit Tracking (SIEM and Syslog Integration)	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Configurable Device Identify Certificate	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Digitally Signed Firmware	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Restrict Firmware Update on device	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Disable physical ports (USB, parallel, etc)	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.

Sharp OSA® Technology and Application Compatibility (Monochrome)

	BP-B550PW	BP-B540WR/B550WD	BP-50M26/50M31/50M36/50M45/50M55/50M65	BP-51M26/51M31/51M36/51M45	BP-70M31/70M36/70M45/70M55/70M65	BP-71M31/71M36/71M45/71M55/71M65	BP-70M75/70M90	MX-M1056/M1206 (without Fiery Opt.)
General MFP Features/Functions								
Speed (PPM)	50 ppm	40/50 ppm	26/31/36/45/55/65 ppm	26/31/36/45/55/65 ppm	31/36/45/55/65 ppm	31/36/45/55/65 ppm	75 / 90 ppm	105/120 ppm
LCD Display - Color Touchscreen	7.0"	7.0"	10.1"	10.1"	10.1"	10.1"	10.1"	15.4"
Screen Formats	Wide SVGA	Wide SVGA	Wide SVGA	Wide SVGA	Wide SVGA	Wide SVGA	Wide SVGA	Wide XGA
Sharp OSA Platform Version	V6	V6	V6	V6	V6	V6	V6	V5.5
Sharp OSA Technology Support								
General Features for Sharp OSA Applications								
Custom User Interface - HTML Browser	-	-	-	-	-	-	-	Opt.
Custom User Interface - HTML 5 Browser (N2.0)	-	-	-	-	-	-	-	Opt.
Custom User Interface - HTML 5 Browser (BE)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	-
Sharp OSA Trial Mode (Scan)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Extended SDK (ACM) / (EAM)	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Embedded Sharp OSA Platform	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
EA Single Sign-on To ACM Applications	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
EA Single Sign-on To MFP	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	-
Application Communication Module (ACM) MX-AMX2L / BP-AM10L								
Scan API	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Scan Image Preview	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Print API	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Copy API, Fax API, Document Filing API	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
OCR API	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Access To Microsoft Office File Direct Printing	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Access To Serverless Print Release	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
"Access To Cloud Connect (Google Drive, OneDrive, SharePoint Online)"	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Copy/Fax/Document Filing Image Preview	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Access Card Support	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Access To AD Resources	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	-

Sharp OSA® Technology and Application Compatibility (Monochrome) *continued*

	BP-B550PW	BP-B540WR/B550WD	BP-50M26/50M31/50M36/50M45/50M55/50M65	BP-51M26/51M31/51M36/51M45	BP-70M31/70M36/70M45/70M55/70M65	BP-71M31/71M36/71M45/71M55/71M65	BP-70M75/70M90	MX-M1056/M1206 (without Fiery Opt.)
External Account Module (EAM) MX-AMX3L / BP-AM11L								
Authentication	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Track Total Pages For Copy, Print, Scan and Fax Jobs	Opt. Print Only	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Track Pages By Page Size and Color For All Jobs	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Access Control / Limit Number Of Pages Per User	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Offline Mode	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Access Card Support	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Override Login	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Application Compatibility								
Synappx Go Free MFP	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
AIP Core	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Job Accounting II	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.

Items indicated with “Opt.” in the table above may require additional Opt.s or software downloads.

Sharp OSA® Technology and Application Compatibility (Color)

	BP-C131PW	BP-C131WD	BP-C545PW	BP-C535WR/ C535WD/C545WD	BP-50C26/50C31/50C36/ 50C45/50C55/50C65	BP-51C26/51C31/ 51C36/51C45	BP-70C31/70C36/ 70C45/ 70C55/70C65	BP-71C31/71C36/71C45/ 71C55/71C65	MX-7081/8081 (without Fiery Opt.)	BP-90C70/90C80 (without Fiery Opt.)
General MFP Features/Functions										
Speed	31 ppm	31 ppm	45 ppm	30 ppm	26/31/36/45/55/65 ppm	26/31/36/45/55/65 ppm	31/36/45/55/65 ppm	31/36/45/55/65 ppm	70/80 ppm	70/80 ppm
LCD Display - Color Touch-screen	4.0"	4.0"	7.0"	7.0"	10.1"	10.1"	10.1"	10.1"	10.1"	15.4"
Screen Formats	Wide SVGA	Wide SVGA	Wide SVGA	Wide VGA	Wide SVGA	Wide SVGA	Wide SVGA	Wide SVGA	Wide SVGA	Wide SVGA
Sharp OSA Platform Version	-	-	V6	V6	V6	V6	V6	V6	V5.5	V6
Sharp OSA Technology Support										
General Features for Sharp OSA Applications (ACM or EAM)										
Custom User Interface - HTML Browser	-	-	-	-	-	-	-	-	Opt.	-
Custom User Interface - HTML 5 Browser (N2.0)	-	-	-	-	-	-	-	-	Opt.	-
Custom User Interface - HTML 5 Browser (BE)	-	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	-	Opt.
Sharp OSA Trial Mode (Scan)	-	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Extended SDK (ACM) / (EAM)	-	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Embedded Sharp OSA Platform	-	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
EA Single Sign-on To ACM Applications	-	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
EA Single Sign-on To MFP	-	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	-	Opt.
Application Communication Module (ACM) MX-AMX2L / BP-AM10L										
Scan API	-	-	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Scan Image Preview	-	-	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Print API	-	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Copy API, Fax API, Document Filing API	-	-	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
OCR API	-	-	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Access To Microsoft Office File Direct Printing	-	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Access To Serverless Print Release	-	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
"Access To Cloud Connect (Google Drive, OneDrive, Share-Point Online)"	-	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Copy/Fax/Document Filing Image Preview	-	-	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Access Card Support	-	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Access To AD Resources	-	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	-	Opt.

Sharp OSA[®] Technology and Application Compatibility (Color) *continued*

	BP-C131PW	BP-C131WD	BP-C545PW	BP-C535WR/ C535WD/C545WD	BP-50C26/50C31/50C36/ 50C45/50C55/50C65	BP-51C26/51C31/ 51C36/51C45	BP-70C31/70C36/ 70C45/ 70C55/70C65	BP-71C31/71C36/71C45/ 71C55/71C65	MX-7081/8081 (without Fiery Opt.)	BP-90C70/90C80 (without Fiery Opt.)
External Account Module (EAM) MX-AMX3L / BP-AM11L										
Authentication	-	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Track Total Pages For Copy, Print, Scan and Fax Jobs	-	-	Opt. Print Only	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Track Pages By Page Size and Color For All Jobs	-	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Access Control / Limit Number Of Pages Per User	-	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Offline Mode	-	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Access Card Support	-	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Override Login	-	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Application Compatibility										
Synappx Go Free MFP	-	-	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
AIP Core	-	-	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Job Accounting II	-	-	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.

Items indicated with “Opt.” in the table above may require additional Opt.s or software downloads.

A4 MX-Series Application Compatibility

	MX-B427PW	MX-B427W	MX-B468P	MX-B468F	MX-B557P/ B707P	MX-B557F	MX-C358F	MX-C428P	MX-C428F	MX-C528P	MX-C528F	MX-C607P
Native Applications												
Email to Self	-	Std.*** (E-mail Shortcut)	-	Std.	-	Std.	Std.	-	Std.	-	Std.	-
Fax Forward	-	Std.***	-	Std.	-	Std.	Std.	-	Std.	-	Std.	-
Forms & Favorites/Bookmarks	-	Std.*** (Network/FTP)	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Built-in Applications												
Card Copy	-	Std.***	-	Std.	-	Std.	Std.	-	Std.	-	Std.	-
Display Customization	-	-	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Scan Center - Basic	-	-	-	Std.	-	Std.	Std.	-	Std.	-	Std.	-
Shortcut Center	-	Std.***	-	Std.	-	Std.	Std.	-	Std.	-	Std.	-
Eco Settings	Std.	Std.***	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Customer Support	-	-	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
QR Code Generator	-	-	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Device Quota	-	-	-	Opt. (HDD)	Opt. (HDD)	Std.	Opt. (HDD)	Opt. (HDD)	Opt. (HDD)	Opt. (HDD)	Std.	Opt. (HDD)
Device Quota	-	-	-	Opt (HDD)	Opt (HDD)	Std	Opt (HDD)	Opt (HDD)	Std	Opt (HDD)	Opt (HDD)	Opt (HDD)
Add-on Applications												
Cloud Connector	-	Std.***	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Bar Code Discovery	-	-	-	Opt. (HDD)	-	Std.	Opt. (HDD)	-	Opt. (HDD)	-	Std.	-
Scan to SharePoint	-	-	-	Std.	-	Std.	Std.	-	Std.	-	Std.	-
Accessibility Solution	-	-	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Solution Composer	-	-	-	Std.**	Std.**	Std.	Std.**	Std.**	Std.**	Std.**	Std.	Std.**
Scan to Hard Disk	-	-	-	Opt. (HDD)	-	Std.	Opt. (HDD)	-	Opt. (HDD)	-	Std.	-
Card Authentication	-	-	-	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Card Authentication	-	-	-	Std	Std	Std	Std	Std	Std	Std	Std	Std

**Some features require HDD depending on workflow.
*** Native device functions on machine, not an application.